321. Amphisphaeria ericeti,
322. Sporormia [illegible],
[illegible] " [illegible]oides,
324. " [illegible],
325. " [illegible],
326. " [illegible],
327. " [illegible],
328. " massarioides,
329. Pleospora [illegible]inis,
330. " Gentiana,
331. " [illegible],
332. " pallida,
333. Rosellinia [illegible]icola,
334. " [illegible]spora,
335. " [illegible],
398. " [illegible]ii
394. Graphium "
336. Bertia Italica,
4[illegible]. " [illegible],
44[illegible]. " [illegible],
337. [illegible]anomma [illegible],
338. " medium,
339. " Ceratophorum,
340. " sylvanum,
341. " [illegible],
466. " [illegible].
342. [illegible] dolichospora,
343. " [illegible],
344. Ceratostomella vestita,
345. " [illegible],
346. [illegible] [illegible],
347. " [illegible],
348. Venturia Potentillae,
349. " chlorospora,
350. " "
351. " [illegible],
352. " nobilis,
353. " Alpina,
422. " [illegible],
42[illegible]. " [illegible],
354. [illegible] [illegible],
355. [illegible]stadia [illegible],
356. " "
357. [illegible]idium [illegible]oides,
358. [illegible] [illegible],
359. Lophiostoma crenatum,
360. " massarioides,
361. " Winteri,
362. Leptosphaeria massariella,
363. " euphorbiae,
364. " anthophila,
365. " hiemalis,
3[illegible]. " [illegible]oides,
3[illegible]. " helminthospora,
4[illegible]. " [illegible],
428. " maritima,
429. " vagabunda,
427. " [illegible],
367. Didymosphaeria lophospora,
368. " Cladophila,
369. " culmigena,
370. " effusa,
371. " exigua,
372. " diplospora,
435. " Fuckeliana,
373. [illegible] [illegible],
374. " [illegible],
375. [illegible] [illegible],
376. " [illegible]

Sphaeriaceae

377. [illegible] [illegible],
378. " umbrosa,
379. " Ariadnae,
380. " Verna,
381. " Fagi,
382. " Sylvatica,
383. " maydis,
384. " Zeae,
385. " topographica,
386. " [illegible],
387. " collina,
388. " [illegible],
389. Lasiosphaeria [illegible],
390. " hispidula,
438. " [illegible],
391. Sordaria [illegible],
392. " sanguinea,
393. Enchnosphaeria caput-medusae
396. Rhaphidophora [illegible]spora,
397. [illegible] microscopica,
398. Linospora [illegible],
401. Valsaria Saccardiana,
402. Fenestella vestita,
454. " Princeps,
455. " "
456. " "
413. Valsa [illegible],
426. " nivea,
427. " [illegible],
404. Phyllachora sylvatica,
405. Cucurbitaria rosae,
406. Pleospora Bardanae,
407. Lasiobotrys Lonicerae
408. Massaria penicillata,
409. " marginata,
410. " [illegible],
411. " [illegible],
412. " alpina,
41[illegible]. " [illegible],
41[illegible]. " "
41[illegible]. " Ulmi,
41[illegible]. " riparia,
417. " Carpini,
418. " macrospora
419. " Aesculi,
420. " Curreyi,
421. " [illegible],
424. [illegible] [illegible]
474. " [illegible]
475. " affinis,
476. " Princeps,
477. " [illegible],
478. " minima,
479. " [illegible],
4[illegible]. [illegible] aurea,
" [illegible]
[illegible]sphaeria [illegible]
" "
" "
" "
" [illegible]

Sphaeriaceae

P. A. SACCARDO

FUNGI ITALICI

AUTOGRAPHICE DELINEATI

FASC. XXXVII–XXXVIII
(CUM INDICE ALPHABETICO TOTIUS OPERIS)


IT. LIB. *(FRANCS)* 8

PATAVII
SUMPT. AUCTORIS
Lithogr. P. Fracanzani, *S. Lucia, Padova*
MAJO 1886

442. Amphisphaeria umbrina,
443. " pseudoumbrina,
444. " culmicola
445. " foeda,
446. " papillata,
447. " conica,
448. Pseudovalsa umbonata,
449. " macrosperma
450. " hapalocystis,
451. Melanconis Alni,
452. " spodiaea
453. " chrysostoma,
457. Diatrypella quercina,
458. " verruciformis
459. " "
460. " favacea,
461. " aspera,
462. Diatrype disciformis,
463. " [illegible]
464. " Stigma,
[illegible] heterogenea,
467. Cryptospora suffusa,
468. [illegible] [illegible]
470. [illegible] [illegible]
471. Eutypa flavovirescens,
472. " velutina,
475. [illegible] [illegible]
480. [illegible] Fuckelii,

[illegible]


SACCARDO, Fungi italici _ Sphæriaceæ



Amphisphæria ericeti S&S.
Conegliano, in ramulis emortuis Callunæ vulgaris Febr. 1878.

321 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Leptosphæria Diana S. & S.
Vittorio, in foliis dejectis putrescentibus Aceris Negundinis, Majo 1877

322 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Leptosphæria pyrenopezizoides S&S.
Conegliano, in sarmentis putridis Clematidis Vitalbæ, Maj. 1877.


323 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




Leptosphæria helvetica S. & S.
Forzo, in foliis emortuis Selaginellæ helveticæ. 19 Mart. 1878. rara.


324 Sept. 1878




Leptosphaeria sicula Sacc. & Beltr.
Licata (Sicilia) in trunco putrescente
Opuntiae Fici indicae, Apr. 1877




Leptosphaeria apogon S. & S.
Conegliano, in calamis emortuis
Scirpi Holoschoeni, Majo 1877.
C. Spegazzini.




Leptosphaeria Cumana S. & S.
Conegliano, in foliis putrescentibus
Caricum, Majo 1877.




Leptosphaeria massarioides S. & S.
Conegliano, in caule putrescente
Heraclei Sphondylii, Oct 1877




Pleospora straminis S. & S.
Conegliano, in vaginis putrescentibus nigrificatis Triticorum, Sept. 1877



Pleospora Gilletiana Sacc.
Alençon (Gallia) in ramulis emortuis Genistæ, 1878. (C. C. Gillet).




Pleospora oligomera S. & S.
Treviso in caule putrescente Silenes Aprili 1877.




Pleospora pallida S. & S.
Michelia II. 232.
Selva in foliis Plantaginis fimo suino obvolutis putridis, Sept. 1877.

SACCARDO, Fungi italici _ Sphæriaceæ




333 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




334 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




335 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



336 Sept. 1878




Melanomma dubiosum Sacc.
Colfosco, in trunculis putrescentibus Globulariæ cordifoliæ, Sept. 1877.




sporidia 22-25 ∽ 6-7 asci 80-90 ∽ 12

Melanomma medium S. & S.
Conegliano, in ramis putrescentibus Aceris Negundinis, Junio 1877.




Melanomma ceratophorum S. & S.
Conegliano, in culmis putridis Arundinis Donacis, Aug. 1878.




asci 90-100 ∽ 12-14

Melanomma Sylvanum S. & S.
Selva in trabe abietina indurata, Septemb. 1878.


SACCARDO, Fungi italici _ Sphæriaceæ




SACCARDO, Fungi italici _ Sphæriaceæ




SACCARDO, Fungi italici _ Sphæriaceæ



SACCARDO, Fungi italici _ Sphæriaceæ



perith. ⅓ mill. d. _ ostiol. ½-¾-4




sporidia 9-11 ∽ 4½-5 - asci 75-85 ∽ 6

Ceratostomella cirrhosa (Pers.)
C. lejostoma S.

Cansiglio, in ligno putri fagineo, Aug. 1878

perith. ⅒-⅛ mill. d.



sporidia
28-30 ∽ 3½-4


rarissime 35-3½

asci 60 ∽ 10

Sphærulina myriadea (DC)
* S. fraxinea S. & S.

Pianzano, in foliis Fraxini Orni, hieme 1878.

perith. 80-100 micr. d.




sporidia 16-18 ∽ 7-8

asci 60-70 ∽ 17

Sphærulina (Pringsheimia) intermixta (B. & Br.) S.
Selva e Conegliano, in sarmentis junioribus Ruborum, Apr. et Sept. 1878

perith. 50-70 micr. d.



setæ perith. 40 ∽ 2-3

sporidia 12 ∽ 5-6

asci 45 ∽ 10-11

Venturia Potentillæ (Sow.) S.
Mycolh. Ven. n. 694 (spermog.)
Selva, in foliis Potentillæ reptantis, aut. 1876.


SACCARDO, Fungi italici _ Sphæriaceæ



Venturia chlorospora (Ces.) Karst.
Conegliano, Selva, in foliis putrescentibus Saliis vitellinæ, vere 1878.

349 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Venturia chlorospora (Ces.) Karst.
x. V. microcarpa S.
Conegliano, Montello, in foliis quercinis vere 1876

350 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Venturia Montellica Sacc.
Fungi Ven. IV: 2.
Montello in nervis foliorum putr. Carlina vulgaris, Sept. 1874.


351 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




Venturia nobilis Sacc.
Fungi Ven. V. 114
Selva in foliis putrescentibus Lauri nobilis. Aug. 1875.

352 Sept. 1878




Venturia alpina Sacc.
Fungi Ven. IV. 3
Cadore (Belluno) in foliis putresc.
Arctostaphyli alpinæ; æst. 1873 (Venzo)

SACCARDO, Fungi italici _ Sphæriaceæ




Physalospora minutula S. & S.
Conegliano, in caule putrescente
Euphorbiæ Cyparissiæ, socia Phoma.
Majo 1877.

SACCARDO, Fungi italici _ Sphæriaceæ



Læstadia Veneta S. & S.
Michelia II. 351.
Padova, Conegliano, in foliis dejectis
Platani orientalis, vere 1878.


SACCARDO, Fungi italici _ Sphæriaceæ




Læstadia Veneta S. & S.
* L. cylindrasca S. & S.
Conegliano, in foliis putrescentibus
Platani orientalis, Aut. 1877.




Lophidium thyridioides S. & S.
Conegliano, in ligno indurato
Quercus sessiliflorae, vere 1878.



Schizostoma querceti S. & S.
Conegliano, in pagina corticis inte=
riore Quercus sessiliflorae, aut. 1877.




Lophiotrema crenatum (Pers.) Sacc.
Cerlongo (Mantova), in ligno decorticato
putrescente, Apr. 1875 (Magnaguti)



Lophiotrema
massarioides Sacc.
Sermide (Mantova) in ramulis Ailanthi
glandulosae, Maj. 1877.

SACCARDO, Fungi italici _ Sphæriaceæ

perith. 1/3 - 1/2 mill. d.




spor. 28-32 ∽ 7 1/2 - 8 1/2
asci 100-110 ∽ 15-17

Leptosphaeria Winteri Sacc.
Zurich (Helvetia) in caulibus emortuis Helianthemi, aut. 1878
leg. prof. G. Winter.

361 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ

perith. vix 1/2 mill. d.



sporidia 20-22 ∽ 8-10


asci 130-150 ∽ 9-10

Leptosphaeria massariella S. & S.
Conegliano, in ramulis corticatis
Ulmi campestris, Apr. 1878.

362 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ

perith. 1/3 - 1/2 mill. d.



Sporidia 28-30 ∽ 7-8


asci 85-95 ∽ 14-16

Leptosphaeria Euphorbiae Niessl
Conegliano, in caulibus putrescentibus
Euphorbiae Cyparissiae, aut. 1877.

363 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ

perith. 1/3 mill. d.




sporidia 23-26 ∽ 5-6
asci 100 ∽ 12-14.

Leptosphaeria anthophila S. & S.
Cansiglio, in parte inf. anthodii
secedentis Carlinae acaulis, Aug. 1878.


364 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




365 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




366 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




367 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ



368 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Didymosphæria (Didymella) culmigena Sacc.
Conegliano, Selva, Sermide; in vaginis graminum majorum, aut. 73-77.

369 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Didymosphæria (Didymella) effusa Riess.
Conegliano, in caule putrescente Cucurbitæ Peponis, vere 1878.

370 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Didymosphæria (Didymella) exigua Riess.
Conegliano, in caulibus emortuis Stenactidis bellidifloræ, vere 1877.

371 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Didymosphæria diplospora (Cke) Sacc.
Montello, in sarmentis emortuis Rubi fruticosi, aut. 1877.


372 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




373 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




374 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




375 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




376 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ



Sphærella nemorosa S. & S.
Conegliano, in foliis Orobi verni, Autumno 1876.

SACCARDO, Fungi italici _ Sphæriaceæ




Sphærella umbrosa Sacc.
Selva; in foliis languidis Galeopsidis grandiflora, Aug, 1873.-

SACCARDO, Fungi italici _ Sphæriaceæ




Sphærella Ariadna Sacc.
S. Tormentillæ
Montello, in foliis Tormentillæ erectæ, Aug. 1873.-

SACCARDO, Fungi italici _ Sphæriaceæ




Sphærella [illegible] S. & S.
Conegliano; in foliis dejectis Forsythiæ viridissimæ, Mart. 77.

SACCARDO, Fungi italici _ Sphæriaceæ




381 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




382 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




383 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




384 Sept. 1878



perith. 100 micr. d.

sporidia 28-30 ∪ 3½-4   asci 70-80 ∪ 8-10

Sphaerella topographica S. & S.
Conegliano, in pag. inf. foliorum
Sorbi torminalis, vere 1848. —




perith. 100-150 micr. d.

sporidia 25-30 ∪ 8-9

asci 80-90 ∪ 20-23

Sphaerella elatior S. & S.
Conegliano, in pag. inf. foliorum
Liriodendri Tulipiferae
vere 1878




perith. 200 micr. d.

sporidia 13 ∪ 5

asci 45-50 ∪ 11.

Sphaerella collina S. & S.
Colfosco, in foliis emortuis Lonice-
rae Xylostei, Jan. 1878.




perith. 80 micr. d.

sporidia 8-10 ∪ 3   asci 20-25 ∪ 14

Sphaerella minor Karst.
Conegliano, in caule languido
Galii sylvatici, vere 1878.

SACCARDO, Fungi italici — Sphæriaceæ




sporidia 50-60 ∪ 4-4½ asci 80-85 ∪ 15-16

Lasiosphæria pygmæa S. & S.

Conegliano, in vaginis culmorum putrescentium Tritici, vere 1878.

389 Sept. 1878

SACCARDO, Fungi italici — Sphæriaceæ




Lasiosphæria hispidula S. & S.

Conegliano, in culmis putr. vere 1878

390 Sept. 1878

SACCARDO, Fungi italici — Sphæriaceæ




Sordaria fermenti (Fck.) W.

* *S. phyllogena* Sacc.

Vittorio, in foliis dejectis Populi albæ, aut. 1877.

391 Sept. 1878

SACCARDO, Fungi italici — Sphæriaceæ




Sordaria lanuginosa (Pr.)

* *S. culmigena* S. & S.

Conegliano, in culmo donacino, Jul. 1878.

392 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Rosellinia Desmazierii (Br. Br.) Sacc.
Selva, in trunco ramisque Philadel-phi coronarii emortuis, Sept. 1878.

 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Graphium Desmazierii Sacc.
Selva, in trunco Philadelphi corona-rii putri; socia Rosellinia.
Sept. 1878.

 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Enchnosphæria Caput Medusæ S. & S.
Conegliano, in ramis emortuis Catalpæ syringifoliæ, Sept. 1877.

 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ



Rhaphidophora ulnospora (Cke) Sacc.
Selva, in caule emortuo Ballotæ ni-græ, Sept. 1877. —

 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




397 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




398 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




399 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ



400 Sept. 1878


SACCARDO, Fungi italici — Sphæriaceæ



Valsaria Saccardiana Speg.
Conegliano, in trunco decorticato Lauri nobilis, vere 1878.—

401 Sept. 1878


SACCARDO, Fungi italici — Sphæriaceæ



Fenestella vestita (Fr.) — Sacc.
Selva, in ramis corticatis Robiniae. — Oct. 1878.

402 Sept. 1878


SACCARDO, Fungi italici — Sphæriaceæ



Valsa punica S. & S.
Conegliano in ramulis Punicae Granati socia Cytospora punica, fig. A. Oct. 1877.


403 Sept. 1878


SACCARDO, Fungi italici — Sphæriaceæ





Phyllachora sylvatica S. & S.
Cansiglio, in foliis nondum emortuis Festucae duriusculae, Aug. 1878.—


404 Sept. 1878



perith. 1/3 - 1/2 mill. d.
spor. 20-24 v 8-10 asci 120 v 16-18
Cucurbitaria Rosae Wint.
Padova, in ramis Rosae.
— Martio 1878. —



perith. 1/3 mill. d.
sporidia 25-27 v 8-10
asci 130 v 12-13
Pleospora Bardanae — Niessl.
f. Althaeae roseae.
Conegliano in ejusdem caule, Jan. 1878.



strom. 150-180 d.
filam. 60-150 v 4
perith. 50 micr. d.
asci 40-50 v 10 spor. 8-10 v 4
Lasiobotrys Lonicerae Kze
Cansiglio, in foliis Lonicerae
nigrae. — Aug. 1878. —



perith. 1/4 - 1/3 mill. d.
setae 50 v 3
spor. 20 v 8 (sine muco) asci 90 v 15
Massaria penicillata Sacc.
Montello, in ramis Cytisi nigricantis
emortuis. — Sept. 1877. —


perith. ½ mill. d.
sporidia 30-35 ∨ 10-12
asci 100-120 ∨ 18
Massaria marginata Fckl.
f. Berberidis vulgaris.
Selva, in ejusdem ramis, Apr. 1874.-


perith. 3/4 mill. d.
sporid. 65-70 ∨ 18-20 asci 130 ∨ 30
Massaria epileuca B. & C.
Padova, in ramis Mori albæ,
Mart. 1874.


perith. ½ mill. d.
sporidia 40-45 ∨ 18
asci 150-200 ∨ 25-30
Massaria corticata Tod.
Cfr. Michel. I: 40 et III: 354.
Conegliano in ramis fagineis Dec. 1876.


perith. ½ mill. d.
sporidia 35 ∨ 9
asci 170 ∨ 12
Massaria alpina S. & S.
Belluno in ramis Alni viridis,
Oct. 1878.




spor: 100 ∪ 20

asci 260 ∪ 40 – 42

Massaria inquinans (Tode) Fr.

Selva, in ramis Aceris campestris,

— Oct. 1874. —




sporidia 80 ∪ 21

Massaria inquinans (Tode) Fr.

* *M. callispora Sacc.*

Conegliano, in ramis decorticatis Aceris camp. Jun. 1878. —




sporid. 65 ∪ 16 – 18 asci 130 ∪ 36

Massaria Ulmi Fckl.

Padova, in ramis Ulmi campestris.


— Apr. 1873. —



Massaria siparia B. & Br.


Padova, in ramis Betula alba — Majo 1874. —

SACCARDO, Fungi italici _ Sphæriaceæ




417 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




418 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ





419 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ




420 Sept. 1878



perith. ½-¾ mill. d.
asci 200 ∪ 20.
sporidia 25-30 ∪ 12-15 (sine muc.)
Massaria bufonia B. & Br.
Colfosco, in ramis quercinis.
— Aug. 1878.—


perith. 60-70 micr. d.
seta 20 ∪ 2
sporidia 8-10 ∪ 3½-4½
asci 35-40 ∪ 8
Venturia Alchemillæ (Grev.) B. & Br.
Cansiglio, in foliis Alchemillæ vulgaris.
— Oct. 1878.—


perith. 1/10 mill. d.
setæ 40 ∪ 3½-4
spor. 10-11 ∪ 3
asci 40 ∪ 3½-4
Venturia Spegazziniana Cke.-
Belluno, in sarmentis Vitis viniferæ.
— Oct. 1878.—



perith. ⅓ mill. diam.
ostiol. ½ mill. lg.
sporidia 6 ∪ 1¼-1½
asci 30-32 ∪ 6½-7
Calosphaeria ciliatula (Fr.) Karst. * Oxyacanthæ.- Montello, in ramis emortuis Crataegi Oxyacanthæ. Aut. 1878.-

SACCARDO, Fungi italici _ Sphæriaceæ




425 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




426 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




427 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




428 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




429 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




430 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ





431 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ





432 Sept. 1878



perith. 1/5 - 1/4 mill. d.
sporidia 20-25 ∪ 10-12
asci 80-120 ∪ 12-18
Botryosphaeria Berengeriana DNtrs.
× B. melanommoides
Vittorio, in ligno decorticato populino. Oct. 1875.



strom. 1-2 mill. d. perith. 1/4 mill. d.
sporid. 40-44 ∪ 15.
asci 150 ∪ 25.
Botryosphaeria advena C. & DNtrs.
Altichiero (Padova) in ramis quercinis.
Jun. 1876.



perith. 1/5 - 1/4 mill. d.
A
A
A spermi 20 ∪ 4
setæ 20 ∪ 1/2
asci 70-90 ∪ 8-9
Didymosphaeria Tuckeliana (Pass.) Sacc.
Vighoffio (Parma) in caule Epilobii Dodonaei
Aut. 1871, socia (A) Discosia Passerinii Sacc.



perith. 1/3 - 1/2 mill. d.
sporidia 20-23 ∪ 10-11
asci 125-135 ∪ 14-16.
Gnomonia Epilobii (Fckl) Auersw.
M. Grappa, in caule Epilobii angustifolii.
Aug. 1878.


perith. 1¼ ∪ ½ mill.
sporid. 40-44 ∪ 4
asci p. s. 140 ∪ 8-10
Bombardia fasciculata Fr.
Cansiglio, in ligno fagineo.
Oct. 1874.-



perith. ⅓ - ½ mill. d.
cauda 30 lg.
sporid. 60 ∪ 4-5
asci 180 ∪ 15-18
Lasiosphaeria sulphurella Sacc.
Padova, in trunco Robiniae Pseudacaciae.
Oct. 1878.


perith. ¼ mill. d.
sporid. 40-50 ∪ 8-9 asci 100 ∪ 18.
Bertia lichenicola, De Not.
In Alpibus veneto-tridentinis, in thallo Solo-
rinae croceae.-



perith. ¾ mill. d.
spor. 40 ∪ 6-7 asci 80 ∪ 18
Bertia moriformis (Tode) De Not.
Valsesia, in ramis Rhododendri (Carestia).




441 Sept. 1878



442 Sept. 1878




443 Sept. 1878




444 Sept. 1878

perith. ½ mill. d.









sporid. 12-15 ∪ 5½-6

asci 80 ∪ 8-10

Amphisphaeria foeda _ D.Ntrs.


Treviso, in ligno salicino carioso.



perith. ¾ mill. d.








spor. 15-18 ∪ 8 asci 120 ∪ 10


Amphisphaeria papillata (Schum) D.Ntrs.


Treviso, Padova, in ligno populino et salicino._



perith. ⅔ ∪ ¾ mill.







spor. 35-45 ∪ 15

asci 200 ∪ 25

Amphisphaeria conica (Lév) C. et D.

Collecchio, in ligno indurato quercino.


Oct. 1870. (Passerini).-

strom: 1½-2 mill. perith ¾ mill. d.











spor typ. 50 ∪ 18 (A abnormis) asci 160 ∪ 30


Pseudovalsa umbonata (Tul.) Sacc.

Montello, in ramis quercinis. Aug. 1874.


SACCARDO, Fungi italici _ Sphæriaceæ




SACCARDO, Fungi italici _ Sphæriaceæ





SACCARDO, Fungi italici _ Sphæriaceæ





SACCARDO, Fungi italici _ Sphæriaceæ





perith. 1/3 mill. d.
sporidia 16-19 ∪ 8
asci 100-120 ∪ 10
Melanconis chrysostroma (Fr.) Tul.
Treviso, in ramis Carpini Betuli.
Oct. 1874.


Fenestella Princeps Tul.
* F. subgregaria.
Selva, in ramis Salicis vitellinae
Aut. 1874.


perith. 1/4 mill. d.
asci 210 ∪ 15-18
sporidia 35 ∪ 15
Fenestella Princeps Tul.
f. Oxyacanthae
Selva, in ramis Oxyacanthae. Nov. 1873.



perith. 1 mill. d.
asci 160-180 ∪ 22
sporidia 40-50 ∪ 18
Fenestella Princeps Tul
F. tetratrupha (B. & Br.)
Selva, in ramis Alni glutinosae. Nov. 1873.

SACCARDO, Fungi italici _ Sphæriaceæ




457 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




458 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




459 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




460 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




461 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




462 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




463 Sept. 1878


SACCARDO, Fungi italici _ Sphæriaceæ




464 Sept. 1878




Tracchiaea heterogenea Sacc.
Selva, in ramis acorinis Co,
. vere 1873.



Melanomma Catillus Sacc.
Cansiglio, in ligno fagineo (Böringer).




Cryptospora suffusa (Fr.) Tul.
Selva, in ramis Alni glutinosæ.
. Aut. 1875.



Cryptospora corylina (Tul.) Fckl.
Conegliano, in ramis Coryli Avellanæ._
vere 1877.

SACCARDO, Fungi italici _ Sphæriaceæ

perith. 1/3 mill. d.



sporidia 50 ∪ 7-11 asci 110-125 ∪ 15-20

Cryptosporella hypodermia (Fr.) Sacc.


Conegliano, in ramis Ulmi.

— vere 1876. —

469 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ

perith. 3/4 mill. d.



spor. 20-22 ∪ 5

asci 145 ∪ 12-15

stip. 60-70 lg.


Enchnoa infernalis (Kze.) Fckl.

Montello, in ramis quercinis.

— aut. 1873. —

470 Sept.er 1878

SACCARDO, Fungi italici _ Sphæriaceæ



perith. 1/3 mill. d.

sporidia 8-10 ∪ 2-2 1/2

asci 40 ∪ 5 p. s.


Eutypa flavo-virens (Hoffm.) Tul.

Belluno, in ligno fagineo

— aut. 1874. —

471 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ



spor. 7-9 ∪ 2 conidia 6 ∪ 4 1/2-5 asci p. s. 35 ∪ 6 1/2

Eutypa velutina (Wallr.) Sacc.


Selva, in ligno Acerris Campestris.

Aut. 1874. —

472 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ

strom. 4-5 ∪ 3 mill.



perith. ½ mill. d.

sporidia 12 ∪ 2½-3

asci 50 ∪ 6 p.s.
stip. 50 lg.

Eutypella Ailanthi Sacc.


Selva, in ramis Ailanthi glandulosae.

— vere 1873.

473 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ

perith. ¼-⅓ mill. d.



sporidia 7-8 ∪ 1

asci 42 ∪ 6


Calosphaeria tumidula Sacc.

Cansiglio, in ramis fagineis.

.. Oct. 1874. —

474 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ



perith. ¼ mill. d.

sporidia 7-8 ∪ 1-1½ asci 38-40 ∪ 6

Calosphaeria affinis, Nke.


Cansiglio, in ramulis quercinis.

— Aut. 1874. —

475 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ

perith. ½ mill. d.



sporidia 8-10 ∪ 1½ asci 45-50 ∪ 4-5.
p.s. 20 lg.


Calosphaeria Princeps Tul.

Selva, in ramis Pruni Cerasi.

— Aut. 1874.


476 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




477 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ




478 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ



479 Sept. 1878

SACCARDO, Fungi italici _ Sphæriaceæ



480 Sept. 1878